



YAMAHA GT50

MINI-TRAIL



www.legends-yamaha-enduros.com

GT50 MINI-TRAIL



Engine

Lightweight 2-cycle, 49 cc. "Torque Induction" engine which develops 0.45 kg-m at 5,000 rpm



Transmission

Precision toolled, 4-speed transmission for positive shifts under all operating conditions.



Autolube

Automatic lubrication system for the correct gas-oil mixture to the engine.



High Sparkle Red




Front Forks

Telescoping, oil and coiled spring design for optimum damping and maximum control.



Brakes

The brakes, front and rear, are waterproof and dustproof for safe, controlled stops.



Headlight and Taillight

The headlight and taillight are large and bright so that the rider can see and be seen.

SPECIFICATIONS

PERFORMANCE


Max. speed range	70 km/h (43 mph)
Climbing ability	20 degrees
Min. turning radius	1,500 mm (49.1 in.)
Min. turning diameter	7.6 m @ 35 km/h (24.8 ft @ 22 mph)
ENGINE	
Type	(175) 2 stroke, Torque Induction, Single
Displacement	49 cc (2.99 cu. in.)
Bore & Stroke	40 x 28.7 mm (1.575 x 1.130 in.)
Compression ratio	8.8:1
Max. Torque/rev	4.0 hp @ 7,000 rpm
Max. Torque	0.45 kg-m (3.2 ft.-lb.) @ 5,000 rpm
Lubrication system	Autolube
Transmission	4 speed gearbox
Starting system	Primary kick starter

DIMENSIONS

Overall length	1,810 mm (62.4 in.)
Overall width	630 mm (25.2 in.)
Overall height	900 mm (35.4 in.)
Wheelbase	1,045 mm (41.1 in.)
Max. ground clearance	155 mm (7.7 in.)
WEIGHT (Est.)	62 kg (137 lbs.)
FUEL TANK CAPACITY	4.6 ltr. (12.3 US gal.)
OIL TANK CAPACITY	0.7 ltr. (0.7 US gal.)
TIRES	front 130-40-18
	rear 125-44-18

* Specifications subject to change without notice

www.legends-yamaha-enduros.com





This model is available in 2 colors only: High Sparkle Red and High Sparkle Blue

High Sparkle Blue

GT50

MINI-TRAIL

The GT 50 was produced by YAMAHA as a real leisure time bike... for picnics, for camping, or for just plain fun. This Mini-Trail is powered by an aluminum, "Torque Induction" engine that is characterized by durability, quick response, and economy. The frame is a tubular steel, double-cradle construction. And many safety features, such as the extra-large headlight and stop lamp, waterproof and dustproof brakes, and reflectors on the sides. Go to where the fun is... and when you do, ride a Mini-Trail.



YAMAHA

SINCE 1887

YAMAHA MOTOR CO., LTD.
2500 SHINGAI IWATA JAPAN