


DT125



www.legends-yamaha-enduro.com

IT'LL GO OUT OF ITS WAY FOR YOU.

To the beach. Over hills. Through the dirt. Or to the store. Yamaha's DT125 will go out of its way to give you great performance, durability, gas mileage and most of all, great fun.

The DT125 is our rugged, medium-size dual-purpose motorcycle. The new, lower seat position allows most riders to sit with their feet planted firmly on the ground for maximum stability and sure handling.

Our exclusive Monoshock rear suspension ensures superior handling over the rough country. And it's infinitely adjustable to suit different riders and different terrain.

Plus there are long-travel, loadable front forks. A light, narrow and very sturdy motorcycle frame. And a center-mounted, tucked-under-the-frame exhaust system for plenty of ground clearance.

The 122cc two-stroke is not only engineered for power, but designed with many low-maintenance features for trouble-free riding. Like a new tamper-proof carburetor and a new, very efficient capacitor discharge ignition (C.D.I.). Increased cylinder head fit area allows better cooling for longer engine life. And our exclusive Autolube system automatically mixes the oil and gas according to engine load.

Yamaha's reed-valve Torque Induction squirts every ounce of power from the muscular engine. There's plenty of torque across the power band, for scooting up hills in the country or passing trucks on the road.

Other nifty features you'll find on our DT125 include a timing-type chain tensioner and complete street-legal instrumentation.

When you're on a Yamaha DT125, getting there is never more than half the fun.



www.legends-yamaha-enduros.com

DT125G

ENGINE

Type	2-stroke single
Displacement	123 cc
Bore and Stroke	56 x 50 mm
Compression ratio	7.2 : 1
Maximum torque	10.0 ft.-lbs. (1.39 kg-m) @ 6,000 rpm
Carburetion	(1) Mikuni VM22SS
Ignition	C.D.I.
Starting	Kick
Lubrication	Autolube
Transmission	6-speed

CHASSIS

Overall length	82.1" (2,085 mm)
Overall width	33.5" (850 mm)
Overall height	43.3" (1,100 mm)
Seat height	31.3" (795 mm)
Wheelbase	53.0" (1,345 mm)
Ground clearance	9.8" (250 mm)
Dry weight	214 lbs. (97 kg)
Fuel tank capacity	1.5 imp.gals. (6.8 l)
Oil capacity	0.8 imp.qts. (0.9 l)

Suspension

Front	Telescopic forks
Rear	Monocross suspension

Brakes

Front	Drum
Rear	Drum

Tires

Front	2.75 x 21
Rear	3.50 x 18

Coloring	Crystal Silver
----------	----------------



www.legends-yamaha-enduros.com

YAMAHA

When you know how they're built.

 **YAMAHA MOTOR CANADA LTD.**

480 Gordon Baker Road, Willowdale,
Ontario M2H 3B4, Canada

LIT-3MC-0109105-80E
Printed in Japan
54 10 x 15 (CANADA)